

The current environment...

Xerox recognizes that in today's modern office environment there is a strong demand for a reliable, top quality, high volume copier that can handle complex tasks and a broad variety of work. Job turn-around time and machine uptime are of utmost importance to you, our customers.

The Xerox 5088 copier is designed to accomplish this in the print room as well as in the office. It's designed to keep pace.

The pace of life...

Today it is vital that your copier can keep up with the incredible pace and short turn-around times that business now demands. The Xerox 5088 copier is a fast machine producing 92 top quality copies a minute... producing 46 copies a minute from continuous computer forms.

But the Xerox 5088 is not just simply a high speed machine...every aspect of its day to day operation is designed to save you time. Time that can then be spent on other projects.



A long life and a successful one...

The Xerox 5088 is a superbly engineered machine developed from a proven successful formula combining versatility with ease of use. The Xerox 5088 will go on giving you first class output at great speed for many years to come. It is designed specifically to work hard for a living.

MA JOR INDUSTRIES



Anything for a simple life...

The Xerox 5088 copier balances "user friendliness" and ease of use with an ability to handle the most complex production tasks. The heart of the Xerox 5088 machine is the control panel... a perfect example of "power at your finger tips". Even inexperienced operators can work their way simply, logically and quickly through the most demanding job.

For the operator, help is always at hand. All the messages and information are in plain language... no jargon... no technical terminology... simply five hundred messages available to provide logical, clear advice!

With the Xerox 5088 it is possible to pre-program for instant recall and non-stop operation, nine of the most complex or frequent tasks the copier is

asked to do. So time and money are saved while accuracy is assured in completing the job in hand.

A powerful combination of simplicity, versatility and copying power...

With features such as automatic cover mode, slip sheet insertion, and on-line stitching, it is possible to produce highly professional documents that not only look good, but are easy to read.

By using the Xerox 5088 Recirculating Document Handler you can automatically make two-sided copies from one-sided or two-sided originals, thus saving on paper costs and filing space.


For single documents use the semiautomatic document handler for fast throughput and ease of use.



Fast single sheet feed



Convenient top tray output



Capacity to handle high volumes...

With the Xerox 5088 you can "load while running", so the job carries on uninterrupted. At the output end the Xerox 5088 has a 2,000 sheet high capacity stacker that can handle even the longest runs, flexibility built in, productivity assured.

Flexible stitching options...

To allow every set of documents you produce to be finished in the most efficient way, the Xerox 5088 offers both on-line and off-line stapling. The production finisher automatically provides proportional stitching to ensure each set has a staple size to accommodate its thickness up to 50 sheets - 20 lb substance. Alternatively the off-line stapler has a 5,000 staple capacity offering versatility in finishing and flexibility of staple positioning - up to 30 sheets.

A handy de-stapler has also been added to the Xerox 5088 to overcome the problem of removing staples.



Load while running



Versatile stapling



Help is always at hand...

If the operator needs help during a job or while setting one up, the "information button" is there to help. This will guide the operator through the steps required and in no time at all the job will be finished.

Ensuring top quality...

The Xerox 5088 has been developed as a production machine designed to give you the flexibility to produce top quality jobs, consistently. Whether it be a report, a manual with technical details that requires regular updating, a price or parts list, or a presentation which requires a professional finish - the Xerox 5088 will provide you with the tools to complete the job.

In addition, the optional Xerox ASF (Automatic Stapler Folder) can provide other time saving features as an on-line accessory to the Xerox 5088. The Xerox ASF automatically staples and folds 8 ½ x 11 copies into 5½ x 8½ books, so eliminating off-line stapling and folding tasks. As an example, two 8½ x 11 sheets can be simply stapled and folded into 5½ x 8½ pages at the speed of 23 booklets per minute.

The ASF may also be used as a free standing off-line device.



Automatic Stapler Folder (ASF)



A full range of customer support

Xerox Supplies

Xerox offers a complete line of superior quality copier, data processing and general office supplies. The quality of our supplies helps ensure your machines have the longest working life possible. And you'll have the convenience and efficiency of ordering all your office supplies from one source. Our toll free phone number and computerized telemarketing system take the bother out of ordering supplies. Simply call: 1-800-668-0199 (or 733-9400 in Toronto).

Xerox Financial Alternatives

We'll make it easy for you to own the Xerox 5088 by providing an original financial plan tailored to your requirements to buy or lease the copier. Ask your Xerox Sales Representative for more details.

visual display

reduction and enlargement

RIC helps us fix problems before you even know about them

(RIC) Remote Interactive
Communications is a 24-hour remote
diagnostic system on your 5088.
Through a sole-use phone line,
RIC provides an automatic connection
to our central computer. In this way,
we monitor the status of your machine
against detailed performance criteria.
Not only that, RIC keeps a running tab
of how many copies are produced
monthly.

Best of all, RIC assures you the 5088 is reliable. For instance, if RIC identifies a potential problem, we can schedule a Service Call before it's really needed and at a convenient time for you. So you can avoid serious interruptions to your work, and also avoid service calls at a time when you'd rather be working. And, because of the information RIC provides, our service people will often know which tools and/or parts are needed before they arrive. Now the partnership, between Xerox service and you our customer, is pro-active.

Xerox Total Satisfaction Guarantee

If you are not satisfied with your Xerox equipment, at your request Xerox Canada will replace it without charge to you with an identical model or one with comparable features and capabilities.

The term of the Xerox Total Satisfaction Guarantee is three years from equipment installation date.

This Xerox Total Satisfaction Guarantee applies to Xerox equipment acquired by you from Xerox Canada and continuously maintained by Xerox Canada under one of our full service maintenance agreements. This guarantee is not applicable to equipment damaged or destroyed due to reasons beyond Xerox Canada's control or responsibility.

We share your environmental concerns

Xerox is committed to the protection of the environment and the health and safety of both our customers and our employees.

We developed and currently market a recycled paper that has achieved the designation "Environmental Choice" from Environment Canada.

We help to reduce the waste stream by recycling reusable parts and by the remanufacture of equipment to the highest standards of quality.

We continue to protect your health and safety by ensuring all Xerox products meet or exceed the strictest government standards.

By choosing Xerox you will share our commitment to the environment while continuing to enjoy the industry standard of performance and reliability that you have come to expect from our products.



Specifications

Copy speed

92 per minute, first copy in 6 seconds 46 sheets per minute for computer forms Quantity selector: 1 to 9,999

Originals

RDH: 8×10 to $8 \frac{1}{2} \times 14$, in 13-110 lb. weights, up to 75 originals at a time

SADH: 5 x 8 to 11 x 17, in 9-110 lb. weights

Computer Forms feeder: Accepts 10-to 24-hole forms,

up to 3" stack

Platen: Any size up to 11 x 17, including bound or bulky documents

Throughput

One-sided copying: $8 \times 10^{1}/_{2}$ to $8^{1}/_{2} \times 14$, in 16-110 lb.weights Two-sided copying: $8 \times 10^{1}/_{2}$ to $8^{1}/_{2} \times 14$, in 20-110 lb.weights Plain bonds, coloured stock, index stock, pre-printed forms, adhesive labels and transparencies

Paper supply

Tray 1: 1100 sheets (20 lb. substance) Tray 2: 600 sheets (20 lb. substance) Continuous run while loading

Reduction/Enlargement

Variable in 1% increments from 64% to 155% Automatic ratio selection for 6 original sizes

Two-sided copying

1-sided to 2-sided, 2-sided to 2-sided, 2-sided to 1-sided Dedicated two-sided tray: 50-sheet capacity Image Shift Program on side 2 (up to 8/10")

Finisher

Staples up to 50 sheets per set. 30,000 staple capacity One staple position (upper left corner)

Off-line Stapler

Staples up to 30 sheets per set with flexible positioning 5,000 staple capacity

Offset Catch Tray

2,000 unstapled sheets, or equally high stack of stapled sets

Top Output Tray

100-sheet capacity (20 lb. stock)

Covers Insertion

Front, back or both

Electronic Auditron

2500 Accounting mode accounts, or 625 Controlled Access accounts, with optional copy limits





Copy Contrast

7 control panel settings

21 settings with Variable Contrast Control Program

Information System

Step-by-Step instructions on a variety of copy jobs

Message Display

80 characters on 2 lines

500 + messages

Dual language

Colour Graphic Display

Visual information provided on multi-colour machine schematic

Customized Programs

29 available programs, including: 9 for pre-programming, Chapterization, Variable Sheet Insertion, and Sample Copy

Size and Weight

Width 260 cm (102"), Depth 89 cm (35"), Height 130 cm (51"), Weight 629 kg (1386 lbs.)

Space Requirements

Movable: Width 330 cm (130") x Depth 180 cm (71") Stationary: Width 348 cm (137") x Depth 224 cm (88") With ASF: Width 356 cm (140") x Depth 262 cm (103")

Electrical Requirements

Sole use of a 30 Ampere, 208/240 Volt Source

Heat Emission

Standby 1,559 BTU/hour, Running 8,550 BTU/hour maximum

RIC Telephone Requirements

Sole-use of a dedicated standard voice grade analog line direct dial pulse or tone

Jack within 3' of power receptacle

Optional ASF Specifications

Capacity

Up to 16 sheets 20 lb. (80 g/m²) (64 - $8\frac{1}{2}$ x $5\frac{1}{2}$ pages reduced from $8\frac{1}{2}$ x 11) in an $8\frac{1}{2}$ x $5\frac{1}{2}$ folder Maximum size sheet $8\frac{1}{2}$ x 14

Paper Weight

16 to 90 lb. (60 to 200 g/m²)

Speed

Variable up to 23 booklets per minute

Stapling

Saddle stapling, 2 heads. 2 x 420 staples

Dimensions

Length 66 cm (26"), Width 90 cm (35.4"), Height 60 cm (23.6"), Weight 75 kg (165 lb.)

Electrical requirement

115 V/50 Hz/15 Amp.

Xerox Canada Ltd. 5650 Yonge Street North York, Ontario M2M 4G7 XEROX and The Document Company are trademarks of XEROX CORPORATION, used by XEROX CANADA LTD., as a registered user. 5088 is a trademark of XEROX CORPORATION.

Product appearance and/or specifications subject to change without notice. Printed in Canada 610C3134 (3/92)